


GEARBOX TYPE: Q 2000-S






TECHNICAL DATA

NAME	: 2000 S
Trawl	: 90° ±5° at both ends
RATIO	: 48 : 1 (quarter turn)
TURNS TO CLOSE	: 12
APPROX. WEIGHT	: 14.55 kg. (32.07lb.) excl. bore and handwheel
MAX. INPUT TORQUE	: 131Nm (96.62 lbf.ft.)
MAX. OUTPUT TORQUE	: 2000 Nm (1475.12 lbf. ft.)
MECH. ADV.	: 15.3% (+/- 10%) (Values measured by fully loaded gearbox)


MOUNTING DETAILS

BOLT CIRCLE	MIN. : $\phi 102$ [4.01] 4x M10 (F10) MAX. : $\phi 165$ [6.49] 4x M20 (F16)
BORE	MIN. : ϕ ___ (pilot-bore) or [___] ___ MAX. : $\phi 65$ [2.55] or [40] [1.57]



No rights can be obtained from this drawing
Drawing can be changed without notice

Pro-Gear



dimension in MM.

Scale : none

Drawing number :

DC-2000-S-01

Revision :

10

This document is property of PRO-GEAR GmbH. Neither this or its content may be copied or used in any other way detrimental to the interest of PRO-GEAR, acceptance of this document shall constitute acknowledgement of the foregoing conditions