




GEARBOX TYPE: QSS-4000-S



No rights can be obtained from this drawing
Drawing can be changed without notice

TECHNICAL DATA	
NAME	: QSS-4000 S
Travel	: 90° ±5° at both ends
RATIO	: 72 : 1 (quarter turn)
TURNS TO CLOSE	: 18
APPROX. WEIGHT	: 31,5 kg. (69.45lb.) excl. bore and handwheel
MAX. INPUT TORQUE	: 185Nm (136.5 lbf.ft.)
MAX. OUTPUT TORQUE	: 4000 Nm (2950.3 lbf.ft.)
MECH. ADV.	: 21,6% (+/- 10%) (values measured by fully loaded gearbox)
MOUNTING DETAILS	
BOLT CIRCLE	MIN. : ø185 [6.50] 4x M20 (F16) MAX. : ø254 [10.0] 8x M16 (F25)
BORE	MIN. : ø30 [1.18] pilot bore MAX. : ø100 [3.94"] or [ø65 [2.56"]]

Pro-Gear



dimension in MM.
Scale : none

Drawing number :
DC-QSS-4000-S-01

Revision :
03

This document is property of PRO-GEAR GmbH. Neither this or its content may be copied or used in any other way detrimental to the interest of PRO-GEAR, acceptance of this document shall constitute acknowledgement of the foregoing conditions